

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	93	((exit\$4 or quit\$4 or suspen\$5 or disabl\$4 or leav\$4 or restor\$4 or resum\$5)near4 ((low or reduced or sav\$4 or c\$1energy or power)near3 (state or mode)))with ((exceed\$4 or greater or more or larger or above)adj5 (preset or predetermined or predefined or threshold)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 09:42
L2	3	l1 same ((pend\$3 or wait\$4 or pipelin\$2 or queu\$3)near4 (transact\$4 or instruction\$1 or read or write or operand\$1 or operation\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 09:51
L3	6	((exit\$4 or quit\$4 or suspen\$5 or disabl\$4 or leav\$4 or restor\$4 or resum\$5)near4 ((low or reduced or sav\$4 or c\$1energy or power)near3 (state or mode)))with ((pend\$3 or wait\$4 or pipelin\$2 or queu\$3)near4 (transact\$4 or instruction\$1 or read or write or operation\$1 or operand\$1)))same (threshold or predetermined or predefined)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 09:51
L4	6	((exit\$4 or quit\$4 or suspen\$5 or disabl\$4 or leav\$4 or restor\$4 or resum\$5 or (out adj of))near4 ((low or reduced or sav\$4 or c\$1energy or power)near3 (state or mode)))with ((pend\$3 or wait\$4 or pipelin\$2 or queu\$3)near4 (transact\$4 or instruction\$1 or read or write or operation\$1 or operand\$1)))same (threshold or predetermined or predefined)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 09:54

EAST Search History

L5	8	((exit\$4 or quit\$4 or suspen\$5 or disabl\$4 or leav\$4 or restor\$4 or resum\$5 or delay\$3 or (out adj of))near4 ((low or reduced or sav\$4 or c\$1energy or power)near3 (state or mode)))with ((pend\$3 or wait\$4 or pipelin\$2 or queu\$3)near4 (transact\$4 or instruction\$1 or read or write or operation\$1 or operand\$1)))same (threshold or predetermined or predefined)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 09:56
L6	8	((exit\$4 or quit\$4 or suspen\$5 or disabl\$4 or leav\$4 or restor\$4 or stall\$4 or resum\$5 or delay\$3 or (out adj of))near4 ((low or reduced or sav\$4 or c\$1energy or power)near3 (state or mode)))with ((pend\$3 or wait\$4 or pipelin\$2 or queu\$3)near4 (transact\$4 or instruction\$1 or read or write or operation\$1 or operand\$1)))same (threshold or predetermined or predefined)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 09:57
L7	16	((exit\$4 or quit\$4 or suspen\$5 or disabl\$4 or leav\$4 or restor\$4 or stall\$4 or resum\$5 or delay\$3 or (out adj of))with ((low or reduced or sav\$4 or c\$1energy or power)near3 (state or mode)))with ((pend\$3 or wait\$4 or pipelin\$2 or queu\$3)near4 (transact\$4 or instruction\$1 or read or write or operation\$1 or operand\$1)))same (threshold or predetermined or predefined)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 10:01
L8	20	((exit\$4 or quit\$4 or suspen\$5 or disabl\$4 or leav\$4 or restor\$4 or halt\$3 or stall\$4 or resum\$5 or delay\$3 or (out adj of))with ((low or reduced or sav\$4 or c\$1energy or power)near3 (state or mode)))with ((pend\$3 or wait\$4 or pipelin\$2 or queu\$3)near4 (transact\$4 or instruction\$1 or read or write or operation\$1 or operand\$1)))same (threshold or predetermined or predefined)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 10:14

EAST Search History

L9	7	(((((exit\$4 or quit\$4 or suspen\$5 or disabl\$4 or leav\$4 or restor\$4 or stall\$4 or resum\$5 or delay\$3 or (out adj of))with ((low or reduced or sav\$4 or c\$1 or energy or power)near3 (state or mode))))with (processor or cpu or controller)) same((pend\$3 or wait\$4 or pipelin\$2 or queue\$3)near4 (transact\$4 or instruction\$1 or read or write or operation\$1 or operand\$1)))same (threshold or predetermined or predefined)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 10:05
L10	273	(((((exit\$4 or quit\$4 or suspen\$5 or disabl\$4 or leav\$4 or restor\$4 or stall\$4 or resum\$5 or delay\$3 or (out adj of))with ((low or reduced or sav\$4 or c\$1 or energy or power)near3 (state or mode))))with (processor or cpu or controller)) same((transact\$4 or instruction\$1 or read or write or operation\$1 or operand\$1)))same (threshold or predetermined or predefined)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 12:50
L11	116	l10 and (peripheral or PCI or PCI\$1 or (PCI adj express))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 12:29
L12	3	l10 and ((message adj packet\$1) with (state or mode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 10:10
L13	2	l11 and ((message adj packet\$1) with (state or mode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 10:11
L14	2	l11 and ((message adj packet\$1) same (state or mode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 10:11

EAST Search History

L15	4	((message adj packet\$1) with ((low or reduced or sav\$4 or c\$1 or energy or power) adj6 (state or mode)))with (processor or cpu or controller))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 10:18
L16	6	(determin\$5 or monitor\$4 or calculat\$4)with((transaction near2 (pend\$3 or wait\$4 or pipe\$line or queue\$3))with (buffer or fifo or register\$1 or ram))same (threshold or predetermined or predefined or limit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 10:23
L17	6	(determin\$5 or monitor\$4 or calculat\$4)with((transaction near2 (pend\$3 or wait\$4 or pipe\$line or queue\$3))with (buffer or fifo or register\$1 or ram))same (threshold or predetermined or predefined or limit or ((upper or lower)adj (value or number or limit)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 10:24
L18	14	("5983353").URPN.	USPAT	OR	ON	2006/04/26 10:27
L19	0	(wak\$4 near5 modem)near6 ((sleep or low\$3 or suspen\$4 or sav\$4)near3 (state or mode))same (pend\$3 or wait\$4 or queue\$3 or pipe\$line)same (buffer or fifo)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 11:41
L20	0	(wak\$4 near5 modem)with((sleep or low\$3 or suspen\$4 or sav\$4)near3 (state or mode))same (pend\$3 or wait\$4 or queue\$3 or pipe\$line)same (buffer or fifo)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 12:18
L21	0	(wak\$4 near5 modem)same((sleep or low\$3 or suspen\$4 or sav\$4)near3 (state or mode))same (pend\$3 or wait\$4 or queue\$3 or pipe\$line)same (buffer or fifo)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 12:19
L22	0	((activat\$4 or enabl\$4 or wak\$4) near5 modem)same((sleep or low\$3 or suspen\$4 or sav\$4)near3 (state or mode))same (pend\$3 or wait\$4 or queue\$3 or pipe\$line)same (buffer or fifo)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 12:19

EAST Search History

L23	43	((activat\$4 or enabl\$4 or wak\$4) near5 modem)and (((sleep or low\$3 or suspen\$4 or sav\$4)near3 (state or mode))same (pend\$3 or wait\$4 or queu\$3 or pipe\$line)same (buffer or fifo))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 12:20
L24	746	((sleep or low\$3 or suspen\$4 or sav\$4)near3 (state or mode))same (pend\$3 or wait\$4 or queu\$3 or pipe\$line)same (buffer or fifo))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 12:20
L25	1263	((sleep or low\$3 or suspen\$4 or sav\$4 or activ\$4)near3 (state or mode))same (pend\$3 or wait\$4 or queu\$3 or pipe\$line)same (buffer or fifo))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 12:20
L26	551	I25 and (peripheral or PCI or PCI\$1 or (PCI adj express))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 12:30
L27	49	I25 same threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 12:40
L28	13	I25 same (exceed\$3 near2 (limit or threshold))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 12:31
L29	5	("3952289" "5343435" "5355503" "6438699" "6513105").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/26 12:38
L30	0	I10 and ((buffer or fifo) near2 occupancy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 12:51

EAST Search History

L31	20	((buffer or fifo) near3 (full\$4 or occup\$4 or occupancy))with ((power or energy)near3 (state or mode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 12:53
L32	7	("5594672").URPN.	USPAT	OR	ON	2006/04/26 13:04
L33	10	("4647721" "4675537" "4731549" "4747041" "4794525" "5214785" "5321428" "5347167" "5359540" "5477476").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/26 13:52
L34	5657	(media adj2 player)	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/26 13:53
L35	19	(portable adj(media adj2 player))with network	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/26 15:33
L36	526	(coherent with buffer)	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/26 16:39
L37	38	((coherent near3 transaction\$1)with buffer)	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/26 16:39
L38	6	("4574350" "5613139" "5895494" "6108739" "6173351" "6487643").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/26 15:40
L39	2	((coherent near3 transaction\$1)with buffer)and ((power or energy) near3 (state or mode))	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/26 16:24
L40	4	((coherent near3 transaction\$1)with buffer)and ((power or energy) near3 (state or mode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 15:48
L41	6	("5,479,636" "5,561" " ,783" "5,617,530" "5,860112" "6,085,330" "6,256,708" "20040006716").pn.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/26 16:25
L42	7	("5,479,636" "5,561783" "5,617,530" "5,860112" "6,085,330" "6,256,708" "20040006716").pn.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/26 16:25
L43	7	("6085330").URPN.	USPAT	OR	ON	2006/04/26 16:31
L44	7	("6085330").URPN.	USPAT	OR	ON	2006/04/26 16:35

EAST Search History

L45	8	("5185878" "5530932" "5617557" "5669003" "5724550" "5740454" "5754816" "5813022").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/26 16:35
L46	1	((coherent near3 transaction\$1)with buffer)same ((power or energy)near3 (state or mode))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 16:40
L47	3	((coherent near3 transaction\$1)with buffer)same ((power or energy)near3 (state or mode)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 16:40
S1	11	(bus near2 master\$4)adj event	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 13:02
S2	7788	((power or energy)near5 (state or mode))nea4 (control\$4 or swirch\$4 or chnag\$4 or alter\$5 or mov\$3 or transfer\$4 or delay\$4 or suspen\$5 or bypass\$4 or halt\$4))with (transaction or pend\$4)with (threshold or limit or valu\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 13:13
S3	895	S2 and (PCI or AGP or agc)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 13:15
S4	138	S2 same (PCI or AGP or agc or (peripheral adj device))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 13:16
S5	4	S3 and (((exit\$4 or quit\$4 or suspen\$5 or disabl\$4 or leav\$4)near5 (state or mode))same ((exceed\$4 or greater or more or larger or above)with (preset or predetermined or predefined or threshold)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 16:01

EAST Search History

S6	3	S4 and (((exit\$4 or quit\$4 or suspen\$5 or disabl\$4 or leav\$4)near5 (state or mode))same ((exceed\$4 or greater or more or larger or above)with (preset or predetermined or predefined or threshold)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 13:19
S7	65	S4 and (((exit\$4 or quit\$4 or suspen\$5 or disabl\$4 or leav\$4)near5 (state or mode)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 14:02
S8	4	("6463542" "6021506").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 14:05
S9	11	("6463542" "6021506").uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 14:04
S10	2	("5721935").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 14:07
S11	67	("5721935").uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 14:53
S12	8	("6040845").URPN.	USPAT	OR	ON	2006/04/25 14:31
S13	1	("6330679").URPN.	USPAT	OR	ON	2006/04/25 14:39

EAST Search History

S14	26	("4393491" "5388265" "5420808" "5444860" "5535400" "5559464" "5603037" "5666537" "5721935" "5736869" "5778237" "5787298" "5835435" "5901322" "5935253" "5936896" "5943263" "5949261" "5949284" "5963057" "5966045" "6029006" "6040845" "6055659" "6065124" "6246626").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/25 14:39
S15	8	("6040845").uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 15:25
S16	2	("5721935").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 15:27
S17	3	(exit\$3 or suspen\$5 or leav\$4 or disabl\$4 or deassert\$4 or remov\$3 or transfer\$4 or chang\$4 or alter\$5 or mov\$3)with ((power or energy)near4 (state or mode))with ((transaction\$2 near2 (pend\$3 or queu\$3 or wait\$4 or pipeline))with ((exceed\$3 or greater or more or above)near2 (threshold or limit or value or predefined or predetermined)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 15:52
S18	20	((power or energy)near4 (manag\$5 or control\$4 or sav\$4 or conserv\$5 or minimiz\$5 or reduc\$5 or lower\$3 or optimiz\$5))and ((transaction\$2 near2 (pend\$3 or queu\$3 or wait\$4 or pipeline))with ((exceed\$3 or greater or more or above)near2 (threshold or limit or value or predefined or predetermined)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 15:48

EAST Search History

S19	2	((power or energy)near4 (manag\$5 or control\$4 or sav\$4 or conserv\$5 or minimiz\$5 or reduc\$5 or lower\$3 or optimiz\$5))and ((transaction\$2 near2 (pend\$3 or queu\$3 or wait\$4 or pipeline))with ((exceed\$3 or greater or more or above)near2 (threshold or limit or value or predefined or predetermined))))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 15:50
S20	11254	((power or energy)near4 (manag\$5 or control\$4 or sav\$4 or conserv\$5 or minimiz\$5 or reduc\$5 or lower\$3 or optimiz\$5))same (gigabit or high\$speed or PCI\$express))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 15:51
S21	0	S20 and ((exit\$3 or suspen\$5 or leav\$4 or disabl\$4 or deassert\$4 or remov\$3 or transfer\$4 or chang\$4 or alter\$5 or mov\$3)with ((power or energy)near4 (state or mode))same ((transaction\$2 near2 (pend\$3 or queu\$3 or wait\$4 or pipeline))with ((exceed\$3 or greater or more or above)near2 (threshold or limit or value or predefined or predetermined))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 15:53
S22	0	S20 and ((exit\$3 or suspen\$5 or leav\$4 or disabl\$4 or deassert\$4 or remov\$3 or transfer\$4 or chang\$4 or alter\$5 or mov\$3)with ((power or energy)near4 (state or mode))same ((transaction\$2 near2 (pend\$3 or queu\$3 or wait\$4 or pipeline))with ((threshold or limit or value or predefined or predetermined))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 15:54
S23	0	S20 and ((exit\$3 or suspen\$5 or leav\$4 or disabl\$4 or deassert\$4 or remov\$3 or transfer\$4 or chang\$4 or alter\$5 or mov\$3)with ((power or energy)near4 (state or mode))same ((transaction\$2 with (pend\$3 or queu\$3 or wait\$4 or pipeline))with ((threshold or limit or value or predefined or predetermined))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 15:59

EAST Search History

S24	7	S20 and ((exit\$3 or suspen\$5 or leav\$4 or disabl\$4 or deassert\$4 or remov\$3 or transfer\$4 or chang\$4 or alter\$5 or mov\$3)with ((power or energy)near4 (state or mode))same ((pend\$3 or queu\$3 or wait\$4 or pipeline)with ((threshold or limit or value or predefined or predetermined))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 15:56
S25	0	S20 and ((exit\$3 or suspen\$5 or leav\$4 or disabl\$4 or deassert\$4 or remov\$3 or restor\$4 or resum\$5 or transfer\$4 or chang\$4 or alter\$5 or mov\$3)with ((power or energy)near4 (state or mode))same ((transaction\$2 with (pend\$3 or queu\$3 or wait\$4 or pipeline))with ((threshold or limit or value or predefined or predetermined))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 16:00
S26	4	S3 and (((exit\$4 or quit\$4 or suspen\$5 or disabl\$4 or leav\$4 or restor\$4 or recover\$4 or resum\$5)near5 (state or mode))same ((exceed\$4 or greater or more or larger or above)with (preset or predetermined or predefined or threshold)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 16:28
S27	121	((((exit\$4 or quit\$4 or suspen\$5 or disabl\$4 or leav\$4 or restor\$4 or resum\$5)near5 ((energy or power)near3 (state or mode)))with ((exceed\$4 or greater or more or larger or above)with (preset or predetermined or predefined or threshold)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/25 16:30
S28	72	((((exit\$4 or quit\$4 or suspen\$5 or disabl\$4 or leav\$4 or restor\$4 or resum\$5)near5 ((energy or power)near3 (state or mode)))with ((exceed\$4 or greater or more or larger or above)adj5 (preset or predetermined or predefined or threshold)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 09:12
S29	1	("6782484").URPN.	USPAT	OR	ON	2006/04/25 16:53